



Vapour

The Graphic Tile Collection

Premium quality. Guaranteed



WWW.CONDOR-GROUP.EU




Vapour


The Graphic Tile Collection




Vapour 20



Vapour 120



Vapour 51



Vapour 151



Vapour 42



Vapour 142



Vapour 70




Vapour 73



Vapour 74



Vapour 76



Vapour 77



Vapour 78



Vapour 80



Vapour 83





Vapour

The Graphic Tile Collection

General specifications

Tuft gauge	1/10 loop pile	ISO 2424
Pilecomposition	100% PA SDN	ISO 2424
Primary Backing	Non Woven	ISO 2424
Secondary backing	Bitumen	ISO 2424
Width	50 x 50 cm	± 0,2% EN 986
Pile Density	0,111 gr/cm ³	ISO 8543
Pile Weight	795 gr/m ²	ISO 8543
Total weight	4550 gr/m ²	± 15% ISO 8543
Pile height	3 mm	ISO 1765
Total Height	7 mm	ISO 1765
Number of knots	239.792/m ²	-7.5% .+ 10% ISO 1763
Fire Classification	Bfl-S1	EN 13501-1
Use Area	Heavy project use (33)	EN 1307
Sound Absorption Hz	125 250 500 1000 2000 4000	ISO 11654
	0,00 0,00 0,05 0,20 0,25 0,25	
Evaluated sound absorptions grade αW	0,15 αW	ISO 11654
Sound Insulation	25 dB	ISO 10140
Thermal resistance	Ca. 0.07 M ² KW	ISO 8302
Light fastness	≥ 5	105-B02
Weareability	≥ 4	105-X12
Water fastness	≥ 4	105-E01
Electrostatic charging	<2 kV	ISO 6356
Luxury class	LC3	EN 1307
Pictures	www.condorcontract.com	

Floorsymbols



Certificates



2018 Condor Carpets, Euroweg 3, 8061 SB Hasselt
 EN 1307 **DOP:** C-003RBV269 **Reaction to fire:** Bfl-s1 **Slip resistance:** DS
 EN 14041:2004
 Resilient floor covering to be used within a building

Condor Carpets bv

Euroweg 3, 8061 SB | P.O. Box 21, 8060 AA | Hasselt, The Netherlands
 T (+31) 38 477 89 11 | F (+31) 38 477 89 22 | info@condorcarpets.nl



WWW.CONDOR-GROUP.EU

